# UNITED STATES PATENT AND TRADEMARK OFFICE

## **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,930,337 B2

Application No. 10/617,706

Page 1 of

DATED

: August 16, 2005

INVENTOR(S): Howard E. Rhodes

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Column 2,

Line 49, "ate" should read -- are --;

#### Column 4,

Line 34, "diff-diffusion" should read -- diffusion --;

Line 52, "fine" should read -- line --;

### Column 10,

Line 20, "be formed using replaced" should read -- be replaced --;

Line 65, "antimony of" should read -- antimony or --;

Line 33, "be formed using replaced" should read -- be replaced --;


#### Column 12,

Line 5, "antimony of" should read -- antimony or --;

#### Column 13,

Lines 21, 24, 26 and 28, "suicide" should read -- silicide --.

ADD CORRECTIONS ON THE ATTACHED PAGE



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

Claim 6, column 13, line 30, "suicide layer" should read --silicide layer--;

Claim 6, column 13, line 30, "suicide." Should read --silicide.--;

Claim 7, column 13, line 31, "claim 2" should read --claim 1--;

Claim 18, column 14, line 12, "suicide" should read --silicide--;

Claim 20, column 14, line 16, "suicide" should read --silicide--;

Claim 36, column 16, line 4, "suicide layer" should read --silicide layer--;

Claim 36, column 16, line 4, "suicide." Should read --silicide.--; and

Claim 37, column 16, line 6, "suicide" should read --silicide--.

Note

This certificate supersedes certificate of correction issued November 15, 2005.

MAILING ADDRESS OF SENDER (Please do not use customer number below): Thomas J. D'Amico
DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP 2
2101 L Street NW
Washington, DC 20037-1526